# GeneFood Anti-inflammatory Nutrition



# **What is Anti-Inflammatory Nutrition?**

Inflammation is one of the body's languages: when well-regulated, it protects and repairs; when prolonged and silent, it wears down the biological terrain.

Anti-inflammatory nutrition is not a rigid "diet," but rather a way of choosing, preparing, and savoring foods that favor the resolution (not just suppression) of inflammatory processes. It refines cellular communication, membrane quality, immune system tone, and mitochondrial vitality (our energy powerhouses).

In practice, it's about bringing order to the internal environment: reducing the stimuli that inflame while amplifying the signals that soothe, repair, and harmonize. With consistency, the body begins to respond with greater ease: better energy flow, mental clarity, balanced skin, steadier digestion, and a more stable mood.

This path is inherently positive: it does not revolve around "forbidding," but around adding what nourishes, sustains, and uplifts. It takes into account personal context, life stage, routine, and seasonality — and, within the GeneFood universe, it also integrates genetic clues that help personalize choices, rhythm, and strategy. What you eat, how you eat, when you eat — all of it blended with charm and pleasure, the basic ingredients.

In the sections below, we present foods and supplements that, together, help modulate inflammatory pathways and support antioxidant responses — forming a stable base for longevity. Always prefer organic foods, more natural than processed: the safest path to healthy eating.

### 1. Foods

Following an anti-inflammatory pattern means both favoring anti-inflammatory foods and limiting the frequent intake of pro-inflammatory ones. Important to highlight: a food plan is not only a biochemical choice, but also a gentle and loving way to care for the body.

Here we refer to the group of anti-inflammatory and antioxidant foods, since inflammation and oxidation always walk together.

### **List of Anti-Inflammatory and Antioxidant Foods**



- Pineapple
- Pumpkin and squash
- **▼** Garlic and leek
- Asparagus
- Extra virgin olive oil

Garlic vs. Leek: vibrationally, leek carries the energy of clarity and softness. Unlike garlic (more intense, protective, a kind of "energetic shield"), leek is more delicate, almost like an internal air purifier, opening space for flow.

- **V** Eggplant
- **W** Beetroot
- ✓ Pure cacao and unsweetened dark chocolate
- ▼ Teas: Green tea & Matcha, White tea, Rooibos, Hibiscus, Chamomile, Turmeric tea with pepper and lemon
- Onion, especially red onion
- Carrot
- Medicinal mushrooms: shiitake, maitake, reishi
- ✓ Dark leafy greens (kale, spinach, Swiss chard, chicory, escarole, watercress)
- ✓ Citrus fruits (orange, lemon, lime, tangerine, pomelo, grapefruit, bergamot, citron)
- Berries (strawberry, raspberry, blackberry, cherry, blueberry, cranberry, red currant, black currant, açaí, maqui berry, goji berry, physalis)
- Papaya
- Fatty fish rich in omega-3 (mackerel, herring, sardine, wild salmon, rainbow trout, tuna, cod liver)
- Pomegranate
- Nuts and seeds (Brazil nut, cashew, walnut, macadamia, pecan, almond, pistachio, hazelnut, pine nut; seeds of sesame, sunflower, pumpkin, flax especially golden flax. Oils from these sources may also be used.)
- Functional spices (turmeric, fresh ginger, paprika, black pepper [activates curcumin], oregano, rosemary, thyme, basil, cinnamon)
- **▼** Tomato
- ✓ Purple grapes

### Managing pro-inflammatory foods

As noted, beyond increasing anti-inflammatory foods, it's important to limit pro-inflammatory ones. These not only foster silent inflammation but also contribute to the acidification of the internal environment — a terrain that, over time, can compromise cellular balance and vitality.

### "Control" does not mean total exclusion.

The aim is balance, where anti-inflammatory foods predominate.

# **Anti-Inflammatory Nutritional Strategies**

# ✓ Omega-3 capsules with eggs

Arachidonic acid (pro-inflammatory) present in egg yolk competes for the same enzyme (cyclooxygenase) as omega-3 fatty acids (anti-inflammatory) (Elisia I et al., 2022). Thus, a simple anti-inflammatory strategy is to take omega-3 capsules together with egg yolks. These combinations, simple and effective, empower the body to protect itself against damage that ages and inflames. Pure nutritional alchemy — transforming a potential "villain" into an ally through synergy!

## Golden Milk: warming self-care

Golden Milk combines turmeric (curcuminoids), ginger (gingerols/shogaols), and cinnamon (polyphenols) in a hot vehicle with fat (whole milk, coconut, ghee) and black pepper (piperine). This trio — heat + fat + piperine — enhances curcumin bioavailability, supporting its action on pro-inflammatory pathways (NF-kB/COX-2) and oxidative stress. Ginger adds a gentle digestive/antiemetic effect, while cinnamon supports glucose metabolism. Beyond biochemistry, the nightly ritual activates the parasympathetic tone, reduces stress-axis arousal, and helps the body shift into restoration mode — which indirectly modulates inflammation (Karimi M et al., 2025; Tabanelli R et al., 2021).

How to use (without detailed recipe): Take this as a culinary dose, not therapeutic. One serving daily or intermittently as part of the anti-inflammatory pattern. Prefer creamy plant milks (coconut, almond) or animal milk with some fat; heat gently. Add a pinch of black pepper and a fat source (e.g., ½ tsp coconut oil or ghee). Sweeten with honey or dates if desired (avoid excess at night).

### When it makes sense:

As gentle daily support for those seeking to reduce "inflammatory noise," improve sleep/recovery, and care for digestion.

As a ritual of presence: it raises frequency at the end of the day, helping to slow down, calm, and return with more attention to the body's needs after daily tasks.

### Notes:

If you use anticoagulants, have gallstones/biliary obstruction, or gastrointestinal sensitivity to pepper, seek guidance from a qualified professional.

Golden Milk does not replace treatments; it is a complement aligned with an anti-inflammatory lifestyle.

# Vegetable juices, especially from juicers and slow juicers: Intelligent Liquid Nutrition

Vegetable juices are an efficient way to concentrate phytochemicals, minerals, and structured water with very low digestive load. By removing insoluble fiber, the body directs energy toward the rapid absorption of micronutrients (chlorophyll, polyphenols, carotenoids), supporting the modulation of inflammatory pathways and the cellular antioxidant tone. As a GeneFood ritual,

they work as an "inner green bath": calming the terrain, easing the liver, and brightening mental clarity (Babateen AM et al., 2022; Liu Y et al., 2024; Sardaro MLS et al., 2025).

### Centrifugal vs. Slow juicers:

Centrifugal juicers: fast extraction, practical for daily use. They may produce more foam/oxidation; best consumed immediately.

Slow juicers (cold-press): slower, gentler extraction, less oxidation, and better yield from leafy greens; the flavor tends to be purer and more stable.

### Gentle guidelines:

### Proportion:

70–90% vegetables/greens; 10–30% fruit only for palatability. Extraction removes most insoluble fiber; glycemic response depends on free sugar per serving (generally 200–250 ml is recommended).

### Vegetable selection:

In general, cucumber, celery, leafy greens/herbs (kale, arugula, watercress, spinach, lettuce, parsley), beet, carrot, and fruits (apple, pineapple, orange, lemon, pear, grape, kiwi) can be used — respecting the restrictions described under "specific conditions." Lower glycemic load: cucumber, celery, leafy greens.

### Functional ingredients:

Fresh ginger: 1–2 cm; caution with anticoagulants or reflux.

Fresh turmeric: 0.5–1 tsp; note curcumin's low bioavailability in juices; modest benefit; caution in biliary obstruction/gallstones.

Mint: refreshing and digestive.

### - Glycemic modulation:

For glycemic concerns (e.g., diabetes/insulin resistance), prefer to drink juice with other foods (after protein/fat/fiber) or with 15–20 g of nuts/seeds; another option is to add 1 tbsp of soaked chia/flaxseed to the juice (mix right after extraction). In light fasting, take care with reactive hypoglycemia.

### Specific conditions:

- 1. Kidney stones (calcium oxalate): reduce spinach, Swiss chard, beet greens.
- **2. Anticoagulant use (e.g., warfarin):** keep vitamin K intake stable; review potential interactions with ginger/turmeric at high supplemental doses; seek professional guidance to individualize portion.
- **3. Antihypertensive use:** caution with excess dietary nitrates (vasoactive/vasodilatory), such as beetroot and celery, to avoid hypotensive episodes.
- **4. Low-FODMAP diet:** avoid apple/pear; prefer citrus, cucumber, kale, lettuce, herbs; test kiwi in small portions.

5. Digestive issues: assess tolerance to cruciferous and allium vegetables.

### Cruciferous (Brassicaceae)

Rich in glucosinolates, which release isothiocyanates such as sulforaphane:

Broccoli

Kale (curly, lacinato, collard)

Cauliflower

Cabbage (red, white)

Arugula

Watercress

**Turnips** 

Radishes

Mustard greens

### Alliums (Alliaceae/Liliaceae)

Source of allicin and sulfur compounds with antioxidant and anti-inflammatory effects:

Garlic

Onion (white, red, yellow)

Chives

Leek

Shallot

- Note: Even with "healthy" foods, adverse effects may occur, either immediate or longterm
  - **6.** Chronic kidney disease with hyperkalemia (high potassium): assess potassium profile of ingredients and recent labs.
  - 7. Gastroesophageal reflux: adjust citrus and ginger intake according to symptoms.
- Portions and frequency: Adults: 200–250 ml, 1 serving/day is sufficient for a "functional" purpose.
- Safety/storage: Wash produce and utensils well; prefer immediate consumption after preparation.

Juices do not replace full meals: they are complements within a coherent anti-inflammatory eating pattern.

# ▼ Polyphenols: orchestrating healthy longevity

Polyphenols are the plants' natural "defenses" which, once consumed, provide antioxidant protection and broad health benefits in both the short and long term. They protect body cells against damage such as inflammation, support metabolism, and act on gut health through

interactions with the microbiota.

### Where to find them:

- Fruits and vegetables, especially colorful ones (açaí, blueberry, strawberry, raspberry, grapes, apple, onion, broccoli, kiwi, cucumber)
- Green tea, black tea, coffee, and cocoa/dark chocolate
- Olive oil, nuts, and seeds
- Herbs and spices (turmeric, oregano, rosemary, thyme, parsley, sage, among others)

### Main types:

### Flavonoids

- Flavonóis: quercetina, kaempferol, fisetina
- Flavonas: luteolina, apigenina, baicalina
- Flavanonas: naringenina (aglicona), naringina (glicosídeo), hesperetina (aglicona), hesperidina (glicosídeo)
- Flavanóis: catequina, epicatequina, epigalocatequina-3-galato (EGCG)
- Antocianidinas: cianidina, delfinidina, malvidina, petunidina, pelargonidina, peonidina
- Isoflavonas: genisteína, daidzeína

### Phenolic acids

- Hidroxicinâmicos: ácido clorogênico, caféico, ferúlico, sinápico
- Hidroxibenzoicos: gálico, elágico

Stilbenes (resveratrol, pterostilbene)

Lignans: secoisolariciresinol, matairesinol, pinoresinol, lariciresinol



# 2. Supplements

Here's the same section translated into English, keeping the list format and references:

- Alpha-lipoic acid or R-alpha-lipoic acid (Vidović B et al., 2017)
- Astaxanthin (Zhuge F et al., 2021)
- **Berberine** (Berberis aristata) (Feng X et al., 2019)
- **▼ Boswellia** (Boswellia serrata) (Vaidya N et al., 2025)
- Coenzyme Q-10 and/or Ubiquinol (Zhai J et al., 2017)
- Curcumin (Panahi Y et al., 2016)
- Green tea extract (Bolin AP et al., 2020; Chen IJ et al., 2016); may be used as a supplement, though tea consumption itself should be prioritized
- **▼ Pinus pinaster extract** (Pycnogenol®) (Lee OK et al., 2012; Jafari F et al., 2022)
- **Fisetin** (Qnais E et al., 2023)
- Ginger (Zingiber officinale) (Jalali M et al., 2020)
- Gurmar or Gymnema sylvestre (Kumar PM et al., 2016)
- **Luteolin** (Lv J et al., 2025)
- ✓ Omega-3: EPA/DHA and flaxseed oil (Al-Madhagy S, 2023; Alsaleh A et al., 2013; Calder PC, 2017)
- N-acetylcysteine (NAC) (Askari M et al., 2020; Santus P et al., 2024)
- **▼ Naringenin** (Cai J et al., 2023; Rebello CJ et al., 2019)
- Pomegranate (Farhat G et al., 2020; Michicotl-Meneses MM et al., 2021; Shetty A et al., 2025)
- Probiotics, especially Lactobacillus plantarum and Lactobacillus rhamnosus (Choi E et al., 2022; Hao R et al., 2023; Shin SM et al., 2024)
- **Quercetin** (Kršková K et al., 2025)
- Resveratrol (Wang A et al., 2011)
- 🔽 Spirulina (Arthrospira) (Karimi S et al., 2025)
- SPMs (Specialized Pro-Resolving Mediators) (Möller Let al., 2023)

- ✓ Sulforaphane (Zhao XJ et al., 2022)
- ▼ Tocotrienols (Khor BH et al., 2021; Looi AD et al., 2025)

### Nutrients that modulate inflammation

Some substances are not usually considered direct anti-inflammatories but **modulate the biological terrain**, influencing the body's response.

**Vitamin C** supports antioxidant defenses and may attenuate inflammatory mediators in situations of high oxidative stress (Jiang W et al., 2025).

**Vitamin D3** acts as an immunomodulatory hormone, adjusting cytokine expression and favoring balance between defense and tolerance (Aribi M et al., 2013; Ashique S et al., 2023).

**Minerals** such as magnesium, chromium, selenium, and zinc also play a role, as their adequate presence regulates metabolic pathways that impact low-grade inflammation (Veronese N et al., 2022; Yao X et al., 2021).

They do not "extinguish the fire" directly, but help regulate the internal climate, making the body less prone to excessive inflammation and more capable of maintaining cellular harmony.

# Attention to new technologies

Phytosomal berberine, phytosomal or nanoemulsified curcumin, phytosomal quercetin, and liposomal vitamin C are examples of advanced pharmaceutical technologies designed to improve absorption, stability, and clinical efficacy. These innovations represent a true revolution in nutritional supplementation, reflecting 21st-century advances and enabling smarter, more efficient, and clinically effective supplementation (Singh P et al., 2023).



### 3. References

Al-Madhagy S, Ashmawy NS, Mamdouh A, Eldahshan OA, Farag MA. A comprehensive review of the health benefits of flaxseed oil in relation to its chemical composition and comparison with other omega-3-rich oils. Eur J Med Res. 2023 Jul 18;28(1):240. doi: 10.1186/s40001-023-01203-6.

Alsaleh A, Crepostnaia D, Maniou Z, Lewis FJ, Hall WL, Sanders TA, O'Dell SD; MARINA study team. Adiponectin gene variant interacts with fish oil supplementation to influence serum adiponectin in older individuals. J Nutr. 2013 Jul;143(7):1021-7. doi: 10.3945/jn.112.172585.

Aribi M, Mennechet FJD, Touil-Boukoffa C. Editorial: The role of vitamin D as an immunomodulator. Front Immunol. 2023 Mar 28;14:1186635. doi: 10.3389/fimmu.2023.1186635.

Ashique S, Gupta K, Gupta G, Mishra N, Singh SK, Wadhwa S, Gulati M, Dureja H, Zacconi F, Oliver BG, Paudel KR, Hansbro PM, Chellappan DK, Dua K. Vitamin D-A prominent immunomodulator to prevent COVID-19 infection. Int J Rheum Dis. 2023 Jan;26(1):13-30. doi: 10.1111/1756-185X.14477.

Askari M, Faryabi R, Mozaffari H, Darooghegi Mofrad M. The effects of N-Acetylcysteine on serum level of inflammatory biomarkers in adults. Findings from a systematic review and meta-analysis of randomized clinical trials. Cytokine. 2020 Nov;135:155239. doi: 10.1016/j.cyto.2020.155239.

Babateen AM, Shannon OM, O'Brien GM, Okello E, Smith E, Olgacer D, Koehl C, Fostier W, Wightman E, Kennedy D, Mathers JC, Siervo M. Incremental Doses of Nitrate-Rich Beetroot Juice Do Not Modify Cognitive Function and Cerebral Blood Flow in Overweight and Obese Older Adults: A 13-Week Pilot Randomised Clinical Trial. Nutrients. 2022 Mar 2;14(5):1052. doi: 10.3390/nu14051052.

Bolin AP, Sousa-Filho CPB, Marinovic MP, Rodrigues AC, Otton R. Polyphenol-rich green tea extract induces thermogenesis in mice by a mechanism dependent on adiponectin signaling. J Nutr Biochem. 2020 Apr;78:108322. doi: 10.1016/j.jnutbio.2019.108322.

Calder PC. Omega-3 fatty acids and inflammatory processes: from molecules to man. Biochem Soc Trans. 2017 Oct 15;45(5):1105-1115. doi: 10.1042/BST20160474. Epub 2017 Sep 12. PMID: 28900017.

Cai J, Wen H, Zhou H, Zhang D, Lan D, Liu S, Li C, Dai X, Song T, Wang X, He Y, He Z, Tan J, Zhang J. Naringenin: A flavanone with anti-inflammatory and anti-infective properties. Biomed Pharmacother. 2023 Aug;164:114990. doi: 10.1016/j.biopha.2023.114990.

Chen IJ, Liu CY, Chiu JP, Hsu CH. Therapeutic effect of high-dose green tea extract on weight reduction: A randomized, double-blind, placebo-controlled clinical trial. Clin Nutr. 2016 Jun;35(3):592-9. doi:10.1016/j.clnu.2015.05.003.

Choi E, Yang J, Ji GE, Park MS, Seong Y, Oh SW, Kim MG, Cho WY, Jo SK. The effect of probiotic supplementation on systemic inflammation in dialysis patients. Kidney Res Clin Pract. 2022 Jan;41(1):89-101. doi: 10.23876/j.krcp.21.014.

Elisia I, Yeung M, Kowalski S, Wong J, Rafiei H, Dyer RA, Atkar-Khattra S, Lam S, Krystal G. Omega 3 supplementation reduces C-reactive protein, prostaglandin E2 and the granulocyte/lymphocyte ratio in heavy smokers: An open-label randomized crossover trial. Front Nutr. 2022 Dec 1;9:1051418. doi: 10.3389/fnut.2022.1051418.

Farhat G, Malla J, Vadher J, Al-Dujaili EAS. Effects of Pomegranate Extract on Inflammatory Markers and Cardiometabolic Risk Factors in Adults Aged 55-70 Years: A Randomised Controlled Parallel Trial. Nutrients. 2025 Apr 1;17(7):1235. doi: 10.3390/nu17071235.

Feng X, Sureda A, Jafari S, Memariani Z, Tewari D, Annunziata G, Barrea L, Hassan STS, Šmejkal K, Malaník M, Sychrová A, Barreca D, Ziberna L, Mahomoodally MF, Zengin G, Xu S, Nabavi SM, Shen AZ. Berberine in Cardiovascular and Metabolic Diseases: From Mechanisms to Therapeutics. Theranostics. 2019 Mar 16;9(7):1923-1951. doi: 10.7150/thno.30787. PMID: 31037148; PMCID: PMC6485276.

Hao R, Liu Q, Wang L, Jian W, Cheng Y, Zhang Q, Hayer K, Kamarudin Raja Idris R, Zhang Y, Lu H, Tu Z. Anti-inflammatory effect of Lactiplantibacillus plantarum T1 cell-free supernatants through suppression of oxidative stress and NF-κB- and MAPK-signaling pathways. Appl Environ Microbiol. 2023 Oct 31;89(10):e0060823. doi: 10.1128/aem.00608-23.

Jafari F, Goudarzvand M, Hajikhani R, Qorbani M, Solati J. Pycnogenol ameliorates motor function and gene expressions of NF-RB and Nrf2 in a 6-hydroxydopamine-induced experimental model of Parkinson's disease in male NMRI mice. Naunyn Schmiedebergs Arch Pharmacol. 2022 Mar;395(3):305-313. doi: 10.1007/s00210-022-02201-x.

Jalali M, Mahmoodi M, Moosavian SP, Jalali R, Ferns G, Mosallanezhad A, Imanieh MH, Mosallanezhad Z. The effects of ginger supplementation on markers of inflammatory and oxidative stress: A systematic review and meta-analysis of clinical trials. Phytother Res. 2020 Aug;34(8):1723-1733. doi: 10.1002/ptr.6638.

Jiang W, Xu H, Jiang X, Zhan Y, Ju Y, Xie J, Huang Z, Huang Q, Pei F. Efficacy of Vitamin C as Glucocorticoid Substitute for Reducing Pain and Inflammation After Total Hip Arthroplasty: A Randomized Controlled Trial. J Bone Joint Surg Am. 2025 May 21;107(10):1123-1133. doi: 10.2106/JBJS.24.01080.

Karimi M, Javadi M, Sharifi M, Valizadeh F, Karimi MA, Asbaghi O. Effects of Curcuminoids Plus Piperine Co-Supplementation on Liver Enzymes and Inflammation in Adults: A GRADE-Assessed Systematic Review and Meta-Analysis. Food Sci Nutr. 2025 Jul 14;13(7):e70588. doi: 10.1002/fsn3.70588.

Karimi S, Shaygannejad V, Mohammadalipour A, Feizi A, Hooshmand S, Kafeshani M. Effects of spirulina (Arthrospira) platensis supplementation on inflammation, physical and mental quality of life, and anthropometric measures in patients with relapsing-remitting multiple sclerosis (RRMS): a triple-blinded, randomized, placebo-controlled trial. Nutr J. 2025 Aug 28;24(1):132. doi: 10.1186/s12937-025-01200-x.

Khor BH, Tiong HC, Tan SC, Wong SK, Chin KY, Karupaiah T, Ima-Nirwana S, Abdul Gafor AH. Effects of tocotrienols supplementation on markers of inflammation and oxidative stress: A systematic review and meta-analysis of randomized controlled trials. PLoS One. 2021 Jul 23;16(7):e0255205. doi: 10.1371/journal.pone.0255205.

Kršková K, Dobrócsyová V, Ferenczyová K, Hricovíniová J, Kaločayová B, Duľová U, Bozorgnia M, Barteková M, Zorad Š. Modification of adipogenesis and oxidative stress by quercetin: positive or

negative impact on adipose tissue metabolism of obese diabetic Zucker rats? J Physiol Biochem. 2025 Feb;81(1):137-156. doi: 10.1007/s13105-024-01060-9.

Kumar PM, Venkataranganna MV, Manjunath K, Viswanatha GL, Ashok G. Methanolic leaf extract of Gymnema sylvestre augments glucose uptake and ameliorates insulin resistance by upregulating glucose transporter-4, peroxisome proliferator-activated receptor-gamma, adiponectin, and leptin levels in vitro. J Intercult Ethnopharmacol. 2016 Mar 1;5(2):146-52. doi: 10.5455/jice.20160224051727.

Liu Y, Deng J, Zhao T, Yang X, Zhang J, Yang H. Bioavailability and mechanisms of dietary polyphenols affected by non-thermal processing technology in fruits and vegetables. Curr Res Food Sci. 2024 Mar 7;8:100715. doi: 10.1016/j.crfs.2024.100715.

Looi AD, Palanisamy UD, Moorthy M, Radhakrishnan AK. Health Benefits of Palm Tocotrienol-Rich Fraction: A Systematic Review of Randomized Controlled Trials. Nutr Rev. 2025 Feb 1;83(2):307-328. doi: 10.1093/nutrit/nuae061.

Lv J, Song X, Luo Z, Huang D, Xiao L, Zou K. Luteolin: exploring its therapeutic potential and molecular mechanisms in pulmonary diseases. Front Pharmacol. 2025 Feb 12;16:1535555. doi: 10.3389/fphar.2025.1535555.

Michicotl-Meneses MM, Thompson-Bonilla MDR, Reyes-López CA, García-Pérez BE, López-Tenorio II, Ordaz-Pichardo C, Jaramillo-Flores ME. Inflammation Markers in Adipose Tissue and Cardiovascular Risk Reduction by Pomegranate Juice in Obesity Induced by a Hypercaloric Diet in Wistar Rats. Nutrients. 2021 Jul 27;13(8):2577. doi: 10.3390/nu13082577.

Möller I, Rodas G, Villalón JM, Rodas JA, Angulo F, Martínez N, Vergés J. Randomized, double-blind, placebo-controlled study to evaluate the effect of treatment with an SPMs-enriched oil on chronic pain and inflammation, functionality, and quality of life in patients with symptomatic knee osteoarthritis: GAUDI study. J Transl Med. 2023 Jun 29;21(1):423. doi: 10.1186/s12967-023-04283-4.

Panahi Y, Hosseini MS, Khalili N, Naimi E, Soflaei SS, Majeed M, Sahebkar A. Effects of supplementation with curcumin on serum adipokine concentrations: A randomized controlled trial. Nutrition. 2016 Oct;32(10):1116-22. doi: 10.1016/j.nut.2016.03.018.

Qnais E, Alqudah A, Bseiso Y, Gammoh O, Wedyan M, Alotaibi B. Exploring the therapeutic potential of fisetin: a comprehensive study on its anti-nociceptive and anti-inflammatory effects. Eur Rev Med Pharmacol Sci. 2023 Nov;27(21):10773-10784. doi: 10.26355/eurrev\_202311\_34357.

Rebello CJ, Greenway FL, Lau FH, Lin Y, Stephens JM, Johnson WD, Coulter AA. Naringenin Promotes Thermogenic Gene Expression in Human White Adipose Tissue. Obesity (Silver Spring). 2019 Jan;27(1):103-111. doi: 10.1002/oby.22352. Epub 2018 Dec 2. PMID: 30506905; PMCID: PMC6309263.

Santus P, Signorello JC, Danzo F, Lazzaroni G, Saad M, Radovanovic D. Anti-Inflammatory and Anti-Oxidant Properties of N-Acetylcysteine: A Fresh Perspective. J Clin Med. 2024 Jul 15;13(14):4127. doi: 10.3390/jcm13144127.

Sardaro MLS, Grote V, Baik J, Atallah M, Amato KR, Ring M. Effects of Vegetable and Fruit Juicing on Gut and Oral Microbiome Composition. Nutrients. 2025 Jan 27;17(3):458. doi: 10.3390/nu17030458.

Shetty A, Dubey A, Rodrigues VP, Kamath S, Fernandes L, Mahadev M, Jain P, Hebbar S. Nutritional and Pharmacological Significance of Pomegranate (Punica granatum L): A Comprehensive Narrative Review. Nutr Rev. 2025 Sep 9:nuaf165. doi: 10.1093/nutrit/nuaf165.

Shin SM, Park JS, Kim SB, Cho YH, Seo H, Lee HS. A 12-Week, Single-Centre, Randomised, Double-Blind, Placebo-Controlled, Parallel-Design Clinical Trial for the Evaluation of the Efficacy and Safety of *Lactiplantibacillus plantarum* SKO-001 in Reducing Body Fat. Nutrients. 2024 Apr 11;16(8):1137. doi: 10.3390/nu16081137.

Tabanelli R, Brogi S, Calderone V. Improving Curcumin Bioavailability: Current Strategies and Future Perspectives. Pharmaceutics. 2021 Oct 17;13(10):1715. doi: 10.3390/pharmaceutics13101715, Brogi S, Calderone V. Improving Curcumin Bioavailability: Current Strategies and Future Perspectives. Pharmaceutics. 2021 Oct 17;13(10):1715. doi: 10.3390/pharmaceutics13101715.

Vaidya N, Agarwal R, Dipankar DG, Patkar H, Ganu G, Nagore D, Godse C, Mehta A, Mehta D, Nair S. Efficacy and Safety of Boswellia serrata and Apium graveolens L. Extract Against Knee Osteoarthritis and Cartilage Degeneration: A Randomized, Double-blind, Multicenter, Placebo-Controlled Clinical Trial. Pharm Res. 2025 Feb;42(2):249-269. doi: 10.1007/s11095-025-03818-2.

Veronese N, Pizzol D, Smith L, Dominguez LJ, Barbagallo M. Effect of Magnesium Supplementation on Inflammatory Parameters: A Meta-Analysis of Randomized Controlled Trials. Nutrients. 2022 Feb 5;14(3):679. doi: 10.3390/nu14030679.

Vidović B, Milovanović S, Stefanović A, Kotur-Stevuljević J, Takić M, Debeljak-Martačić J, Pantović M, Đorđević B. Effects of Alpha-Lipoic Acid Supplementation on Plasma Adiponectin Levels and Some Metabolic Risk Factors in Patients with Schizophrenia. J Med Food. 2017 Jan;20(1):79-85. doi: 10.1089/jmf.2016.0070.

Wang A, Liu M, Liu X, Dong LQ, Glickman RD, Slaga TJ, Zhou Z, Liu F. Up-regulation of adiponectin by resveratrol: the essential roles of the Akt/FOXO1 and AMP-activated protein kinase signaling pathways and DsbA-L. J Biol Chem. 2011 Jan 7;286(1):60-6. doi: 10.1074/jbc.M110.188144.

Yao X, Liu R, Li X, Li Y, Zhang Z, Huang S, Ge Y, Chen X, Yang X. Zinc, selenium and chromium co-supplementation improves insulin resistance by preventing hepatic endoplasmic reticulum stress in diet-induced gestational diabetes rats. J Nutr Biochem. 2021 Oct;96:108810. doi: 10.1016/j.jnutbio.2021.108810.

Zhai J, Bo Y, Lu Y, Liu C, Zhang L. Effects of Coenzyme Q10 on Markers of Inflammation: A Systematic Review and Meta-Analysis. PLoS One. 2017 Jan 26;12(1):e0170172. doi: 10.1371/journal.pone.0170172.

Zhao XJ, Zhang YR, Bai WF, Sun TY, Yang YF, Wang TX, Bai CG. Therapeutic effect of the sulforaphane derivative JY4 on ulcerative colitis through the NF- $\kappa$ B-p65 pathway. Inflammopharmacology. 2022 Oct;30(5):1717-1728. doi:10.1007/s10787-022-01044-5.













































# GeneFood Project

Author: Isabela Stoop. Florianópolis, August 2025. All rights reserved.